

CONFIDENTIAL

Approved For Release 2005/01/10 : CIA-RDP84-00951R000100020031-7

31 July 1952

MEMORANDUM FOR: Deputy Director, Administration

SUBJECT: Space

1. Minimum space requirements for the overt offices now housed in M and Q Buildings will be, on 1 July 1952:

OCD Requirements.....	57,600
OSR Requirements.....	51,540
OCT Requirements.....	46,240
OTI Requirements.....	21,222
	<u>157,362</u>

2. Total usable space in M and Q Buildings is put at 122,000:

Space required.....	157,362
Available M&Q.....	<u>-122,000</u>
Deficit	65,362

3. Gross space available in Riverside Stadium is estimated at 49,895, but this space is indented by a large oval skating rink sunk below the surrounding floor level and surrounded by a railing. If the floor level is brought level with the surrounding area by temporary construction, and the railing removed, we will have an estimated 42,114 square feet of usable space in the stadium. It is desirable that this be done, as there will be a considerable loss in effective space if desks and office equipment must be rearranged in conformity with the oval area.

4. Assuming that this is done, and that we have full effective use of the available space, the stadium will fall short of providing OCD with the total which it will require on 1 July 1952:

OCD Requirement.....	57,600
Stadium (maximum).....	<u>=42,114</u>
Deficit	15,486

25X1

5. Certain small elements of OCD should remain in M and Q Buildings for functional reasons. They are:

Reading Room.....	2,210
Cable Deck.....	800
Top Secret Control....	600
Assistant Director....	500
Administrative Staff..	600
Operations Staff.....	<u>320</u>
	<u>5,730</u>

Approved For Release 2005/01/10 : CIA-RDP84-00951R000100020031-7

CONFIDENTIAL

CONFIDENTIAL

Approved For Release 2005/01/10 : CIA-RDP84-00951R000100020031-7

6. Space then available in N and Q Buildings for the other three offices will be:

Available MQ.....	122,000
OCB.....	<u>- 5,760</u>
Net available	116,240

7. This compares with the space required as follows:

ODR Requirements.....	54,540
OCY Requirements.....	45,240
CST Requirements.....	<u>- 10,202</u>
	109,782

8. It is apparent that the above arrangements, which seem the best that can be worked out, will leave all four offices with small deficits.

9. OCB's deficit, from paragraphs 4 and 5 above, will be:

Stadium deficit.....	15,486
Held in MQ.....	<u>= 5,760</u>
Net deficit	9,726

10. The combined deficit of the other three offices, from paragraphs 6 and 7 above, will be:

Requirements.....	109,782
Net available.....	<u>- 116,240</u>
Net deficit	13,558

11. Whether or not these relatively small deficits will actually arise to plague us by 1 July 1952 depends upon re-recruitments, clearances, and other factors. It is my opinion that we had better accept them for planning purposes, and do the best we can to cope with them.

12. It is recommended that we go ahead with the Stadium deal, and that we make the best possible use of the space so obtained even though it costs us something to raise the first floor and remove the ceiling. It should not be forgotten that all alternatives suggested to date would have cost up far more than any likely expenditures in the Stadium and that, to boot, they'd have involved us in political difficulties which are happily absent from the Stadium deal. It would be poor economy to forego the use of available space in the Stadium, and then be thrown back on the alternatives which all have agreed are unsatisfactory.

JAMES M. ANDERSON
Assistant Director
Collection & Dissemination

Approved For Release 2005/01/10 : CIA-RDP84-00951R000100020031-7